


AMENDMENTS TO THE CLAIMS:


This listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A selectively light-absorptive material for a color display, comprising a tetrazaporphyrine derivative having formula (1)




where R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 and R_8 are independently selected from the group consisting of hydrogen; an unsubstituted phenyl group, an alkyl group of 1 to 8 carbon atoms; an alkoxy group of 1 to 8 carbon atoms; a nitro group; halogen atoms; a halide; a cyano group; an alkylamino group of 1 to 8 carbon atoms; an aminoalkyl group of 1 to 8 carbon atoms; and a phenyl group having a substituent selected from an alkyl group of 1 to 8 carbon atoms, an alkoxy group of 1 to 8 carbon atoms, a nitro group, halogen atoms, a halide, an alkylamino group of 1 to 8 carbon atoms, an aminoalkyl group of 1 to 8 carbon atoms and a cyano group, or two neighboring substituents among R_1 , R_2 , R_3 , R_4 ,


R₅, R₆, R₇ and R₈ are fused and substituted with 1 to 3 aromatic cyclic compounds having formula (2a) through (2f), and unsubstituted groups among R₁, R₂, R₃, R₄, R₅, R₆, R₇ and R₈ are independently selected from the group consisting of hydrogen, an alkyl group of 1 to 8 carbon atoms, an alkoxy group of 1 to 8 carbon atoms, an allyl group, halogen atoms, a halide, a cyano group and a nitro group




(2a)




(2b)




(2c)



(2d)



(2e)



(2f)

where R', R'', R''' and R'''' are independently selected from the group consisting of hydrogen, an alkyl group of 1 to 8 carbon atoms, an alkoxy group of 1 to 8 carbon atoms, an allyl group, a cyano group and a nitro group; X is halogen atoms or alkyl sulfonate of 1 to 8 carbon atoms; Y is an alkyl or allyl group of 1 to 8 carbon atoms; and dashed lines indicate a portion coupled with the pyrrole group of formula (1);

a plastic resin; and

an organic solvent selected from the group consisting of toluene, xylene, propylalcohol, isopropylalcohol, methylcellosolve, ethylcellosolve and dimethylformamide.

2. (Cancelled)

3. (Cancelled)

4. (Cancelled)

5. (Cancelled)

6. (Cancelled)

7. (Cancelled)

8. (Cancelled)

9. (Cancelled)

10. (Cancelled)


11. (Cancelled)

12. (Cancelled)

13. (Cancelled)


14. (Currently Amended) The selectively light-absorptive filter of claim ~~14~~16, wherein the plastic resin is at least one selected from the group consisting of poly(methylmethacrylate), polyvinyl alcohol, polycarbonate, ethylene vinylacetate and polyvinylbutyral.

15. (New) A selectively light-absorptive material for a color display, comprising a tetrazaporphyrine derivative having formula (1)




where R₁, R₂, R₃, R₄, R₅, R₆, R₇ and R₈ are independently selected from the group consisting of hydrogen; an unsubstituted phenyl group, an alkyl group of 1 to 8 carbon atoms; an alkoxy group of 1 to 8 carbon atoms; a nitro group; halogen atoms; a halide; a cyano group; an alkylamino group of 1 to 8 carbon atoms; an aminoalkyl group of 1 to 8 carbon atoms; and a phenyl group having a substituent selected from an alkyl group of 1


to 8 carbon atoms, an alkoxy group of 1 to 8 carbon atoms, a nitro group, halogen atoms, a halide, an alkylamino group of 1 to 8 carbon atoms, an aminoalkyl group of 1 to 8 carbon atoms and a cyano group, or two neighboring substituents among R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 and R_8 are fused and substituted with 1 to 3 aromatic cyclic compounds having formula (2a) through (2f), and unsubstituted groups among R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 and R_8 are independently selected from the group consisting of hydrogen, an alkyl group of 1 to 8 carbon atoms, an alkoxy group of 1 to 8 carbon atoms, an allyl group, halogen atoms, a halide, a cyano group and a nitro group




(2a)





(2b)



(2c)



(2d)




where R', R'', R''' and R'''' are independently selected from the group consisting of hydrogen, an alkyl group of 1 to 8 carbon atoms, an alkoxy group of 1 to 8 carbon atoms, an allyl group, a cyano group and a nitro group; X is halogen atoms or alkyl sulfonate of 1 to 8 carbon atoms; Y is an alkyl or allyl group of 1 to 8 carbon atoms; and dashed lines indicate a portion coupled with the pyrrole group of formula (1);

a plastic resin;

an organic solvent; and


an infrared ray blocking agent.

16. (New) A selectively light-absorptive filter for a color display, comprising a tetrazaporphyrine derivative having formula (1)




...(1)


where R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 and R_8 are independently selected from the group consisting of hydrogen; an unsubstituted phenyl group, an alkyl group of 1 to 8 carbon atoms; an alkoxy group of 1 to 8 carbon atoms; a nitro group; halogen atoms; a halide; a cyano group; an alkylamino group of 1 to 8 carbon atoms; an aminoalkyl group of 1 to 8 carbon atoms; and a phenyl group having a substituent selected from an alkyl group of 1 to 8 carbon atoms, an alkoxy group of 1 to 8 carbon atoms, a nitro group, halogen atoms, a halide, an alkylamino group of 1 to 8 carbon atoms, an aminoalkyl group of 1 to 8 carbon atoms and a cyano group, or two neighboring substituents among R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 and R_8 are fused and substituted with 1 to 3 aromatic cyclic compounds having formula (2a) through (2f), and unsubstituted groups among R_1 , R_2 , R_3 , R_4 , R_5 , R_6 , R_7 and R_8 are independently selected from the group consisting of hydrogen, an alkyl group of 1 to 8 carbon atoms, an alkoxy group of 1 to 8 carbon atoms, an allyl group, halogen atoms, a halide, a cyano group and a nitro group




(2a)




(2b)




(2c)



(2d)



(2e)



(2f)

where R', R'', R''' and R'''' are independently selected from the group consisting of hydrogen, an alkyl group of 1 to 8 carbon atoms, an alkoxy group of 1 to 8 carbon atoms, an allyl group, a cyano group and a nitro group; X is halogen atoms or alkyl sulfonate of 1 to 8 carbon atoms; Y is an alkyl or allyl group of 1 to 8 carbon atoms; and dashed lines indicate a portion coupled with the pyrrole group of formula (1); and

a plastic resin.

17. (New) A selectively light-absorptive filter for a color display comprising the selectively light-absorptive material of claim 1.

18. (New) A selectively light-absorptive filter for a color display comprising the selectively light-absorptive material of claim 15.